

# 2018 Environment Metrics Supplement

The Mosaic Company's 2018 Sustainability Disclosure has been prepared in accordance with the GRI Standards: core option. This supplement provides additional environmental metrics, not covered under the GRI framework, that some stakeholders request as part of their review of our performance. We encourage stakeholders to read this supplement in conjunction with our 2018 State of the Business Report and 2018 Sustainability Disclosure & GRI Index [need to add links].

### Water

**Total Water Withdrawals and Intensity by Business Segment** 

2018 Global Water Withdrawals by Segment  Total Water Used by Business Segment  (,000 m³)						
Business Segment	Municipal	Reclaimed Water	Groundwater	Surface Water	Total	Total Withdrawal Intensity
Phosphate	1,161	3,261	60,607	212,197	277,226	0.0349
Potash	0	269	6,405	14,074	20,748	0.0022
Mosaic Fertilizantes	102	35,975	4721	57,333	98,130	0.0260
Distribution	33	5,759	1,114	0	6,906	N/A
Mosaic Total	1,296	45,264	72,847	283,603	403,010	0.0192

Note: Phosphate surface water withdrawals include once through cooling water totals. Total water intensity value measured in megaliters per tonne of finished product. Values include all water withdrawals and differ from Mosaic's freshwater intensity reduction target, as reported in Mosaic's State of the Business Report. Legacy Brazil facilities previously reported under International Distribution segment are now reported under Mosaic Fertilizantes segment. Distribution, as reported here, represents Streamsong Resort and Mosaic-owned facilities involved in warehousing, blending and/or shipping Mosaic's products. Though Distribution is not its own reporting segment, our distribution facilities do consume water in their operations, hence our including the volumes here. Intensity for Distribution facilities is not available using our methodology for calculating intensity since they do not produce finished product tonnes.

Page 1 of 6 The Mosaic Company



# **Energy and Emissions**

#### **Energy per Tonne Finished Product by Business Segment**

2018 Total Energy Intensity by Segment (GJ/finished product tonnes)			
Business Segment			
Phosphate	2.98		
Potash	2.44		
Mosaic Fertilizantes	3.41		
Mosaic Total	2.83		

Note: Energy values in this table are inclusive of energy generated through cogeneration. Companywide values include total energy and differ from Mosaic's energy intensity reduction target, as reported in Mosaic's State of the Business Report. Intensity for Distribution facilities is not available using our methodology for calculating intensity since they do not produce finished product tonnes.

## Purchased Electricity per Tonne Finished Product by Business Segment

2018	Purchased Energy Intensity by Segment (GJ/finished product tonnes)
Business Segment	
Phosphate	0.72
Potash	0.46
Mosaic Fertilizantes	1.01
Mosaic Total	0.66

Note: Energy totals in this table include purchased electricity only. Intensity for Distribution facilities is not available using our methodology for calculating intensity since they do not produce finished product tonnes.

Page 2 of 6 The Mosaic Company



#### **GHG Intensity Metrics**

2018 GHG Intensity by Segment								
	(tonnes CO2e/finished product tonnes)							
Business Segment	Total GHG <sub>1</sub>	Direct GHG <sub>1</sub>	Indirect GHG <sub>1</sub>	Total CO <sub>2</sub>	Direct CO <sub>2</sub>	Indirect CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
Phosphate	0.298	0.234	0.086	0.298	0.234	0.086	0.00	0.00
Potash	0.195	0.100	0.095	0.195	0.100	0.095	0.00	0.00
Mosaic Fertilizantes	0.086	0.250	0.025	0.086	0.250	0.025	0.00	0.00
Mosaic Total	0.238	0.380	0.207	0.380	0.380	0.207	0.00	0.00

Note: ¹Total, Direct and Indirect GHG values are measured in tonnes CO₂e per tonne of finished product. Summation of parts may be different from total due to rounding. Companywide values differ from Mosaic's GHG reduction target, as reported in Mosaic's State of the Business Report. Intensity for Distribution facilities is not available using our methodology for calculating intensity since they do not produce finished product tonnes.

#### **Absolute GHG Metrics**

					Gs by Segme CH4 and N2O)			
Business Segment	Total GHG <sup>1</sup>	Direct GHG <sup>1</sup>	Indirect GHG <sup>1</sup>	Total CO <sub>2</sub>	Direct CO <sub>2</sub>	Indirect CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
Phosphate	2.56	1.87	0.69	2.56	1.86	0.69	12,160	1,412
Potash	1.81	0.93	0.88	1.81	0.93	0.88	2,651	1,108
Mosaic Fertilizantes	1.05	0.95	0.10	1.05	0.94	0.10	5,076	2,633
Mosaic Total	5.42	3.75	1.67	5.42	3.73	1.67	19,902	5,157

Note: <sup>1</sup>Total, Direct and Indirect GHG values are measured in million tonnes CO<sub>2</sub>e; CH<sub>4</sub> and N<sub>2</sub>O are presented in tonnes. Summation of parts may be different from total due to rounding.

Page 3 of 6 The Mosaic Company

#### **Other Emissions**

2018 Other Emissions by Segment (tonnes)										
Business Segment	NOx	СО	PM	SO2	VOC	NH3	FL	H2S	SAM	HF
Phosphate	1,324	525	509	15,024	178	1,006	104	12	266	137
Potash	1,656	532	4,972	3	102	0	0	0	0	0
Mosaic Fertilizantes	271	0	762	4,279	0	1	176	0	75	0
Mosaic Total	3,251	1,057	6,244	19,306	280	1,007	280	12	341	137

Note: Values are presented in tonnes. Distribution Intensity not available due to no tonnes of finished product.

## **Wastes and Effluents**

2018 Water Discharges- Mosaic Fertilizantes (tonnes)			
Fluoride	1,589		
Biochemical Oxygen Demand	872		
Chemical Oxygen Demand	1,070		
Dissolved Solids	16,552		

Note: Per location-specific permit conditions, our Brazil operations monitor for various parameters in operational water discharges. We report those values here. See 306-1 (LINK) for the remainder of our disclosure on this topic.

2018 Mining Wastes- Mosaic Fertilizantes (tonnes)			
Limestone	2,764,826		
Magnetite	1,871,158		
Sulfur Sludge (m³)	16,092		
Titanium	6,848,979		

Note: Due to the composition of mineral deposits in Brazil, our newly acquired Brazil operations handle various mining wastes we have not historically reported for North America operations in MM3 (LINK).

# **IUCN** Red List Least Concern species in areas near our operations

The following species, potentially found in the vicinity of our operations, have been listed by IUCN Red List as least concern – meaning they are abundant and widespread and not considered at risk from extinction. This content supplements information in 304-4 (LINK) of our 2018 Sustainability Disclosure & GRI Index (LINK).

Brazil

anhinga, Aplastodiscus perviridis, aplomado falcon, ash-throated crake, bananaguit, barn swallow, barred antshrike, black jacobin, black-and-white tegu. Black-and-white Tegu. black-backed water-tyrant, black-bellied whistling duck, black-capped antwren, blackcrowned night-heron, blackish rail, black-throated saltator, blue and yellow macaw, blue dacnis, blue-and-white swallow, blue-andyellow macaw, blue-black grassquit, blue-winged parrotlet, boama albomarginata. Boana albopunctata, boana raniceps, boat-billed flycatcher, bran-colored flycatcher, Brazilian teal, brown-chested martin, brown-crested flycatcher, buff-breasted wren, buff-necked ibis, burnished-buff tanager, burrowing owl, campo troupial, cattle egret, cattle tyrant, Ceratophrys aurita, chalk-browed mockingbird, chestnut-capped blackbird, chestnut-capped foliage-gleaner, chestnut-vented conebil, chopi blackbird, chopi blackbird, cliff flycatcher, cocoi heron, collared peccary, common gallinule, common squirrel-cuckoo, common tody-flycatcher, common vermilion flycatcher, common waxbill, creamy-bellied thrush, crested black-tyrant, curl-crested jay, Cycloramphus dubius, dark-billed cuckoo, Dendrophryniscus brevipollicatus, Dendrophryniscus leucomystax, dendropsophus berthalutzae, dendropsophus werneri, donacobius, double-collared seedeater, Dubois's seedeater, dusky-legged guan, eared dove, epaulet oriole, Euler's flycatcher, firewood-gathere, flavescent warbler, fork-tailed flycatcher, fork-tailed palm-swift, fork-tailed woodnymph, fuscous flycatcher, glittering-bellied emerald, glittering-throated emerald, grassland sparrow, grassland yellow-finch, great antshrike, great kiskadee, great white egret, greater ani, greater thornbird, green ibis, green kingfisher, green-backed heron, green-barred woodpecker, greenwinged saltator, grey moniita, grey-breasted crake, grey-breasted martin, grey-eyed greenlet, grey-fronted dove, grey-necked woodrail, guira cuckoo, guira tanager, helmeted manakin, highland elaenia, hoary fox, hooded tanager, House sparrow, hroned screamer, Humboldt's glass frog, Hylodes phyllodes, Hypsiboas raniceps, Inering's fathead anole, Ischnocnema henselii, Ischnocnema hoehnei, Ischnocnema juipoca, Ischnocnema parva, large elaenia, large-billed antwren, large-billed tern, laughing falcon, least grebe, leptodactylus latrans, leptodactylus notoaktites, lesser elaenia, lesser kiskadee, lesser treefrog, lesser yellow-headed vulture, lesser yellowlegs, lined seedeater, lipkin, little nightjar, little woodpecker, long-tailed tyrant, marbled tropical bullfrog, masked gnatcatcher, masked water-tyrant, masked yellowthroat, mouse-colored tyrannulet, muscovy duck, nacunda nighthawk, narrow-billed woodcreeper, neotropical cormorant, northern red-shouldered macaw. Northern streaked flycatcher, ocellated crake, Ocellated Crake, ocelot, ochre-faced tody-flycatcher, ochre-lored flatbill, orange-headed tanager, orange-winged Amazon, osprey, palebreasted spinetail, pale-breasted thrush, pale-throated pampa-finch, pale-vented pigeon, palm tanager, palmcreeper, paurague, peach-fronted parakeet, pearly-vented tody-tyrant, petropolis treefrog, physalaemus maculiventris, physalaemus olfersii, pileated finch, plain-crested elaenia, planalto hermit, planalto slaty antshrike, pocazuro pigeon. Puma, purple gallinule, purple-throated euphonia, red-bellied macaw, red-crested finch, red-legged seriema, rhinella hoogmoedi, rhinella icterca, rhinella ornata, Rhinella schneideri, ringed kingfisher, roadside hawk, robust woodpecker, rock dove, ruby-crowned tanager, ruddy ground-dove, rufescent tiger-heron, rufous hornero, rufous-bellied thrush, rufous-browed peppershrike, rufous-collared sparrow, rufous-fronted thornbird, rufous-sided crake, rufous-tailed jacamar, rufous-winged antshrike, russet-crowned crake, rusty-backed antwren, rusty-backed spinetail, rusty-collared seedeater, rusty-fronted tody-flycatcher, rusty-margined flycatcher, saffron finch, saffron-billed sparrow, sapphire-spangled emerald, sayanna hawk, sayaca tanager, scaled dove, scaly-headed parrot, scarlet-headed blackbird, scinax pererga, scissor-tailed nightjar, shiny cowbird, short-crested flycatcher, silver-beaked tanager, small-billed tinamou, smooth-billed ani, snail kite, snouted treefrog, snowy egret, social flycatcher, solitary sandpiper, sombre hummingbird, sooty-fronted spinetail, southern beardless tyrannulet, Southern caracara, Southern lapwing, southern swift, southernrough-winged swallow, sphaenorhynchus caramaschii, Spix's spinetail, spot-tailed nightjar, spotted nothura, streamcreeper, streamer-tailed tyrant, stripebreasted starthroat, stripe-crowned warbler, striped cuckoo, suiriri flycatcher, Swainson's flycatcher, swallow tanager, swallow-tailed hummingbird, tataupa tinamou, toco toucan, trachycephalus mesophaeus, tropical kingbird, tropical screech-owl, turkey vulture, turquoise-fronted Amazon, ultramarine grosbeak, variable antshrike, variable oriole, variegated flycatcher, wattled jacana, western black-tailed tityra, whistling heron, white woodpecker, white-bellied seedeater, white-browed blackbird, white-collared swift, whitecrested tyrannulet, white-eared puffbird, white-edged tree frog, white-eyed foliage-gleaner, white-eyed parakeet, white-faced whistling duck, white-headed marsh-tyrant, white-lined tanager, white-naped jay, white-rumped moniita, white-rumped swallow. white-striped warbler, white-tailed goldenthroat, white-tailed hawk, white-tailed kite, white-throated hummingbird, white-throated

Envalius perditus. Haddadus binotatus, vellow-chinned spinetail, amazon kingfisher, American black vulture, american kestrel,

Page 5 of 6 The Mosaic Company

Canada	kingbird, white-tipped dove, white-vented violet-ear, white-wedged piculet, white-winged swallow, wing-banded hornero, yellow-bellied seedeater, yellow-chevroned parakeet, yellow-headed caracara, yellowish pipit, yellow-olive flatbill, yellow-rumped marshbird alder flycatcher, American avocet, American bittern, American coot, American crow, American goldfinch, American kestrel, American robin, American white pelican, American wigeon, bald eagle, Baltimore oriole, bank swallow, barn swallow, black-and-white warbler, black-billed magpie, black-capped chickadee, black-crowned night heron, black-necked grebe, black tern, blue jay, blue-winged teal, bobolink, Brewer's blackbird, brown-headed cowbird, bufflehead, California gull, Canada goose, canvasback, cedar waxwing, chestnut-sided warbler, chipping sparrow, clay-colored sparrow, common goldeneye, common grackle, common nighthawk, common raven, common yellowthroat, dark-eyed junco, double-crested cormorant, downy woodpecker, eastern kingbird, eastern phoebe, European starling, Franklin's gull, gadwall, grasshopper sparrow, gray catbird, gray partridge, great blue heron, great crested flycatcher, great horned owl, greater yellowlegs, green-winged teal, hairy woodpecker, hermit thrush, horned lark, house sparrow, house wren, killdeer, lark sparrow, Le Conte's sparrow, least flycatcher, lesser scaup, lesser yellowlegs, long-eared owl, mallard, marbled godwit, marsh wren, merlin, mountain bluebird, mourning dove, myrtle warbler, Nelson's sparrow, northern harrier, northern pintail, northern shoveler, orchard oriole, ovenbird, pied-billed grebe, purple martin, redhead, red-breasted nuthatch, red-eyed vireo, red-headed woodpecker, red-necked grebe, red-tailed hawk, red-winged blackbird, ring-billed gull, ring-necked duck, rock dove, rose-breasted grosbeak, ruby-throated hummingbird, ruddy duck, ruffed grouse, sandhill crane, savannah sparrow, Say's phoebe, sedge wren, sharp-tailed grouse, short-eared owl, snow goose, solitary sandpiper, song sparrow, sora, spotted sandp
	moose, mule deer, muskrat, North American deer mouse, North American porcupine, North American river otter, prairie vole, pronghorn, raccoon, red fox, red squirrel, Richardson's ground squirrel, snowshoe hare, striped skunk, thirteen-lined ground squirrel, white-tailed deer, white-tailed jack rabbit, blackside darter, common shiner, creek chub, fathead minnow, johnny darter, logperch, longnose dace, northern pike, pearl dace, walleye, white sucker, yellow perch
Florida	Burrowing owl, Florida black bear, sandhill crane, Florida pine snake, least tern, limpkin, little blue heron, osprey, Southeast American kestrel, Sherman's fox squirrel, snowy egret, tricolored heron, white ibis, wood stork, Eastern indigo snake, Northern crested caracara, American alligator, bald eagle, red-winged blackbird, Northern harrier, ground dove, field sparrow, Eastern wood peewee, Eastern diamondback rattlesnake
Louisiana	Bald eagle, long-tailed weasel
New Mexico	American kestrel, Cooper's hawk, dunlin, great horned owl, greater yellowlegs, Harris's hawk, killdeer, least sandpiper, least tern, lesser yellowlegs, merlin, Northern harrier, Northern pintail, Northern shoveler, red-tailed hawk, sanderling, sandhill crane, Western sandpiper

The Mosaic Company