



Material Safety Data Sheet

PRODUCT

NO_xOUT[®] LT

NO_xOUT[®] is a Registered Trademark of Fuel Tech, Inc.

Emergency Telephone Number

CHEMTREC 1-800-424-9300 (24 hours)

SECTION 1 - PRODUCT IDENTIFICATION

Trade Name: NOXOUT LT

Description: An aqueous solution of an amide

NFPA 704M/HMIS Rating: 0/1 Health 0/0 Flammability 0/0 Reactivity 0/Other 0=Insignificant 1=Slight
2=Moderate 3=High 4=Extreme

SECTION 2 - COMPOSITION / INGREDIENT INFORMATION

Our hazard evaluation of the ingredient(s) under OSHA's Hazard Communication Rule, 29 CFR 1910.1200 has found none of the ingredient(s) hazardous.

SECTION 3 - HAZARD IDENTIFICATION EMERGENCY OVERVIEW:

Caution: May cause irritation to skin and eyes. Avoid contact with skin, eyes, and clothing. Avoid prolonged or repeated breathing of vapor. Use with adequate ventilation. Do not take internally. Empty containers may contain residual product. Do not reuse container unless properly reconditioned.

Primary Route(s) of Exposure: Eye, Skin, Inhalation

Eye Contact: Can cause mild, short-lasting irritation.

Skin Contact: May cause irritation with prolonged contact.

Inhalation: May cause irritation to the respiratory tract and lungs.

SYMPTOMS OF EXPOSURE:

A review of available data does not identify any symptoms from exposure not previously mentioned.

Aggravation of Existing Conditions: A review of available data does not identify any worsening of existing conditions.

SECTION 4 - FIRST AID INFORMATION

Eyes: Flush with water for 15 minutes. Call a physician.

Skin: Wash thoroughly with soap and rinse with water. Call a physician.

Ingestion: Do not induce vomiting. Give water. Call a physician.

Inhalation: Remove to fresh air. Treat symptoms. Call a physician.

Note To Physician: Based on the individual reactions of the patient, the physician's judgment should be used to control symptoms and clinical condition.

Caution: If unconscious, having trouble breathing or in convulsions, do not induce vomiting or give water.

SECTION 5 - FIRE FIGHTING

Flash Point: Greater than 200 Degrees F (PMCC) ASTM D-93

Extinguishing Media: This product would not be expected to burn unless all the water is boiled away. The remaining organics may be ignitable. Use water to cool containers exposed to fire.

Unusual Fire and Explosion Hazard: May evolve CO, CO₂, NO_x, ammonia, and cyanuric acid under fire conditions.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

In case of transportation accidents, call the following 24-hour telephone number: 1.800.424.9300 (CHEMTREC).

SPILL CONTROL AND RECOVERY:

Small Liquid Spills: Contain with absorbent material, such as clay, soil or any commercially available absorbent. Shovel reclaimed liquid and absorbent into recovery or salvage drums for disposal. Refer to CERCLA in Section 15.

Large Liquid Spills: Dike to prevent further movement and reclaim into recovery or salvage drums or tank truck for disposal. Refer to CERCLA in Section 15.

SECTION 7 - HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes, and clothing.

Storage: Keep container closed when not in use.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection: Respiratory protection not normally needed. If significant dusting occurs, wear a NIOSH approved or equivalent dust respirator.

For large spills, entry into large tanks, vessels or enclosed small spaces with inadequate ventilation, a positive pressure, self-contained breathing apparatus is recommended.

Ventilation: General ventilation is recommended.

Protective Equipment: Use impermeable gloves and chemical splash goggles when attaching feeding equipment, doing maintenance or handling product. Examples of impermeable gloves available on the market are neoprene, nitrile, PVC, natural rubber, viton and butyl (compatibility studies have not been performed).

The availability of an eye wash fountain and safety shower is recommended.

If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

Human Exposure Characterization: Based on Fuel Tech's recommended product application and our recommended personal protective equipment, the potential human exposure is: LOW.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Color:	Colorless to light yellow	
Form:	Liquid	
Density:	9.1-9.2 lbs/gal.	
Specific Gravity:	1.09-1.11 @ 77 Degrees F	ASTM D-1298 Ph
Ph(NEAT)=	7.0-10.5	ASTM E-70
Viscosity:	2 cps @ 70 Degrees F	ASTM D-2983
Flash Point:	Greater than 200 Degrees F (PMCC)	ASTM D-93

Crystallization Point: 15 Degrees F

Note: These physical properties are typical values for this product.

SECTION 10 - STABILITY AND REACTIVITY

Incompatibility: Avoid contact with strong oxidizers (eg. chlorine, peroxides, chromates, nitric acid, perchlorates, concentrated oxygen, permanganates) which can generate heat, fires, explosions and the release of toxic fumes.

Thermal Decomposition Products: In the event of combustion CO, CO₂, NO_x, ammonia, and cyanuric acid may be formed. Do not breathe smoke or fumes. Wear suitable protective equipment.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicity Studies: No toxicity studies have been conducted on this product.

Human Hazard Characterization: Based on our hazard characterization, the potential human hazard is: LOW

SECTION 12 - ECOLOGICAL INFORMATION

If released into the environment, see CERCLA in Section 15.

Environmental Hazard and Exposure Characterization: Based on our Hazard Characterization, the potential environmental hazard is: LOW. Based on Fuel Tech's recommended product application and the product's characteristics, the potential environmental exposure is: LOW.

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal: If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

As a non-hazardous liquid waste, it should be solidified with stabilizing agents (such as sand, fly ash, or cement) so that no free liquid remains before disposal to an industrial waste landfill. A non-hazardous liquid waste can also be incinerated in accordance with local, state and federal regulations.

SECTION 14 - TRANSPORTATION INFORMATION

Proper shipping name/hazard class may vary by packaging, properties, and mode of transportation.

Typical proper shipping names for this product are:

All Transportation Modes: Product is not regulated during transportation.

SECTION 15 - REGULATORY INFORMATION

The following regulations apply to this product.

FEDERAL REGULATIONS:

OSHA Hazard Communication Rule, 29 CFR 1910.1200:

Based on our hazard evaluation, none of the ingredients in this product are hazardous.

CERCLA/Superfund, 40 CFR 117, 302:

Notification of spills of this product is not required.

SARA/Superfund Amendments and Reauthorization Act of 1986 (Title III) – Sections 302, 311, 312 and 313:

Section 302 - Extremely Hazardous Substances (40 CFR 355): This product does not contain ingredients listed in Appendix A and B as an Extremely Hazardous Substance.

Sections 311 and 312 - Material Safety Data Sheet Requirements (40 CFR 370): Our hazard evaluation has found that this product is not hazardous under 29 CFR 1910.1200. Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

Section 313 - List of Toxic Chemicals (40 CFR 372): This product does not contain ingredients on the List of Toxic Chemicals.

Toxic Substances Control Act (TSCA):

The chemical ingredients in this product are on the 8(b) Inventory List (40 CFR 710).

Resource Conservation and Recovery Act (RCRA), 40 CFR 261 Subpart C & D:

Consult Section 13 for RCRA classification.

Federal Water Pollution Control Act, Clean Water Act, 40 CFR 401.15 / Formerly Sec. 307, 40 CFR 116 / Formerly Sec. 311:

None of the ingredients are specifically listed.

Clean Air Act, Sec. 111 (40 CFR 60), Sec. 112 (40 CFR 61, 1990 Amendments), Sec. 611 (40 CFR 82, Class I and II Ozone Depleting Substances):

This product contains the following ingredients covered by the Clean Air Act: Urea - Section 111

STATE REGULATIONS:

California Proposition 65:

This product does not contain any chemicals which require warning under California Proposition 65.

Michigan Critical Materials: This product does not contain ingredients listed on the Michigan Critical Materials Register.

State Right to Know Laws: This product does not contain ingredients listed by State Right To Know Laws.

SECTION 16 - RISK CHARACTERIZATION

Due to our commitment to Product Stewardship, we have evaluated the human and environmental hazards and exposures of this product. Based on our recommended use of this product, we have characterized the product's general risk. This information should provide assistance for your own risk management practices. We have evaluated our product's risk as follows:

* The human risk is: LOW.

* The environmental risk is: LOW.

Any use inconsistent with Fuel Tech's recommendations may affect our risk characterization. Our sales representative will assist you to determine if your product application is consistent with our recommendations. Together we can implement an appropriate risk management process.

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to insure safe workplace operations. Please consult your local sales representative for any further information.

Fuel Tech, Inc. provides the above information in good faith. Fuel Tech, Inc. provides the above information "AS IS" and makes no representations or warranties of any kind, express or implied, by fact

or by law. **FUEL TECH, INC. SPECIFICALLY DISCLAIMS ALL WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.**

SECTION 17 - REFERENCES

Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices, American Conference of Governmental Industrial Hygienists, OH.

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (CD-ROM version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (CD-ROM version), Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Title 29 Code of Federal Regulations, Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, Ohio (CD-ROM version), Micromedex, Inc., Englewood, CO.

Shepard's Catalog of Teratogenic Agents (CD-ROM version), Micromedex, Inc., Englewood, CO.

Suspect Chemicals Sourcebook (a guide to industrial chemicals covered under major regulatory and advisory programs), Roytech Publications (a Division of Ariel Corporation), Bethesda, MD.

The Teratogen Information System, University of Washington, Seattle, Washington (CD-ROM version), Micromedex, Inc., Englewood, CO. REVISED: May 2000

DISCLAIMER: The information and recommendations herein are taken from data contained in independent, industry recognized references, including NIOSH, OSHA, ANSI, and NFPA. Thus Mosaic makes no guarantee, warranty, or other representation concerning this substance, since the conditions of its use are beyond the control of Mosaic. Mosaic disclaims any liability for loss or damage incurred in connection with the use of this substance.
